## CENTRAL INTELLIGENCE AGENCY

## INFORMATION REPORT

This Document contains information affecting the National Defense of the United States, within the meaning of Title 18, Sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law. The reproduction of this form is prohibited.


			350	CURITY INFORMATION				25X
COUNTRY		Czechoslovak	ia	2	REPORT			
SUBJECT		Railroad Via		ion	DATE [	PISTR.	1   June	1953
		,		· •		F PAGES	3	
DATE OF	INFO.	<u> </u>				MENT NO.	RD	`
PLACE AC	QUIRED			<b>.</b> 	REFEREN			25 <b>X</b> 1
	L	This is UNEVA	ALUATED In	formation				
								•
		THE	THE APPRAIS	ATIONS IN THIS RE SAL OF CONTENT I FOR KEY SEE REVERS	IS TENTATIVE.	/E.		25 <b>X</b> 1
1.		1	rladuct at	Mimon / 5039	<u>n</u> -1444 <u>E</u> 7 on	the enclose	d sketch	25 <b>X</b>
	to the	A, Overlay of following:	of GSGS 441	6, Sheet S- <u>9</u>	/. Numbers	on the sket	d sketch ch correspon	25X
	to the	A, Overlay of following:	of GSGS 441	6, Sheet S- <u>9</u>	/. Numbers	on the sket	d sketch ch correspon	25X
:	to the  1. Rai  2. Rai	A, Overlay of following: lroad: Ceska lroad Depot:	of GSGS 441 Lipa to Li Mimon	6, Sheet S-9	/. Numbers	on the sket	ch correspon	i <b>d</b>
	to the  1. Rai  2. Rai  3. Hig	A, Overlay of following:	of GSGS 441 Lipa to Li Mimon	6, Sheet S-9	/. Numbers	on the sket	ch correspon	i <b>d</b>
2	1. Rai 2. Rai 3. Hig 4. Via This vi with th to Libe daily, underpa	A, Overlay of following: lroad: Ceska lroad Depot: hway: Ceska L	Lipa to Li Mimon Lipa to Libe stone consint approximately 15 if from Ceska imately 200	6, Sheet S-9 berec, single erec, asphal truction appn mately 20 m. freight and p Lipa and Lip	/. Numbers e track, nors t, two-lane, roximately 1 above the 1 passenger tracerec. Daily Railroad per	approximate on long and the sket on long and the sket traffic the sonnel kept litia guare	ely six mete and 5 m. wid n Ceska Lipa sed this via arough the t the viaduc	rs wide. e, duct t, h
2. 5	1. Rai 2. Rai 3. Hig 4. Via This vi with th to Libe daily, underpa in repa	A, Overlay of following:  lroad: Ceska lroad Depot: hway: Ceska L duct.  aduct was of e highest poi rec. Approxi going to and ss was approx lr, and it wa	Lipa to Li Mimon Lipa to Lib stone consint approximately 15 if from Ceska imately 200 s guarded b	6, Sheet S-9 berec, single erec, asphal truction appn mately 20 m. freight and p Lipa and Lip	/. Numbers e track, nors t, two-lane, roximately l above the l passenger tracerec. Daily Railroad per	approximate on long and stravers traffic the sonnel kept litia guar	ely six meter and 5 m. wid n Ceska Lipa sed this via arough the the viaduc is armed witsee Annex B/	rs wide. e, duct t,
2. 5	1. Rai 2. Rai 3. Hig 4. Via This vi with th to Libe daily, underpa in repa rifles.	A, Overlay of following:  lroad: Ceska lroad Depot: hway: Ceska L duct.  aduct was of e highest poi rec. Approxi going to and ss was approx lr, and it wa	Lipa to Li Mimon Lipa to Lib stone consint approximately 15 if from Ceska imately 200 s guarded i	berec, single erec, asphaltruction appropriately 20 m. freight and Libo vehicles.	/. Numbers e track, nors t, two-lane, roximately l above the l passenger tracerec. Daily Railroad per	approximate on long and stravers traffic the sonnel kept litia guar	ely six meter and 5 m. wid n Ceska Lipa sed this via arough the the viaduc is armed witsee Annex B/	rs wide. e, duct t,
2. 5	1. Rai 2. Rai 3. Hig 4. Via This vi with th to Libe daily, underpa in repa rifles.	A, Overlay of following:  lroad: Ceska lroad Depot: hway: Ceska L duct.  aduct was of e highest poi rec. Approxi going to and se was approx lar, and it was a constant of the	Lipa to Li Mimon Lipa to Lib stone consint approximately 15 if from Ceska imately 200 s guarded i	berec, single erec, asphaltruction appropriately 20 m. freight and place and Libo vehicles. by railroad part 4416 Sheet S	/. Numbers e track, nors t, two-lane, roximately l above the l passenger tracerec. Daily Railroad per	approximate on long and stravers traffic the sonnel kept litia guar	ely six meter and 5 m. wid n Ceska Lipa sed this via arough the the viaduc is armed witsee Annex B/	rs wide.  e, duct t,
2. 5	1. Rai 2. Rai 3. Hig 4. Via This vi with th to Libe daily, underpa in repa rifles.	A, Overlay of following:  lroad: Ceska lroad Depot: hway: Ceska L duct.  aduct was of e highest poi rec. Approxi going to and se was approx lar, and it was a constant of the	Lipa to Li Mimon Lipa to Lib stone consent approximately 15 if from Ceska imately 200 s guarded to ay of GSGS Sketch of	berec, single erec, asphaltruction appropriately 20 m. freight and Lipa and	/. Numbers e track, nors t, two-lane, roximately l above the l passenger tracerec. Daily Railroad per	approximate on long and stravers traffic the sonnel kept litia guar	ely six meter and 5 m. wid not ceska Lipa sed this via nough the table transport to the viaduc ds armed with see Annex B/	rs wide.  e, duct t, h, 25
2	1. Rai 2. Rai 3. Hig 4. Via This vi with th to Libe daily, underpa in repa rifles.	A, Overlay of following:  lroad: Ceska lroad Depot: hway: Ceska L duct.  aduct was of e highest poi rec. Approxi going to and se was approx lar, and it was a constant of the	Lipa to Li Mimon Lipa to Lib stone consent approximately 15 if from Ceska imately 200 s guarded to ay of GSGS Sketch of	berec, single erec, asphaltruction appropriately 20 m. freight and place and Libo vehicles. by railroad part 4416 Sheet S	/. Numbers e track, nors t, two-lane, roximately l above the l passenger tracerec. Daily Railroad per	approximate on long and stravers traffic the sonnel kept litia guar	ely six meter and 5 m. wid not ceska Lipa sed this via nough the table transport to the viaduc ds armed with see Annex B/	rs wide.  e, duct t,

A CES

SECRET/SECURITY INFORMATION

25X1

Overlay of GSGS 4416, Sheet S-9.7 months Location of Viaduct at Mimon



25X1

ANNEX B SECRET -3-SECRET/SECURITY INFORMATION 0 Guard Pests Ø 25X1 O SECRET

Approved For Release 2009/03/16 : CIA-RDP80-00810A001200470001-6